



**DRB23-0968**

# PROPOSED IKE KIOSK LOCATIONS

IKE Smart City proposes 15 locations across 5 key commercial corridors for Phase 1 of installation.




**List of Sites - DRB23-0968**

<b>No.</b>	<b>Location</b>	<b>Intersection Placement</b>	<b>Application</b>
5	Convention Center Drive and 19 Street	East side of Convention Center Drive	DRB
6	Lincoln Road and Alton Road		DRB
14	Alton Road and 5 Street	SW side of Alton	DRB
15	Collins Avenue and South Pointe Drive	East side of Collins	DRB

\* Sign nos. 1-4 and 7-13 are subject to review and approval of the Historic Preservation Board.

# KIOSK SPECIFICATIONS

IKE Smart City invests heavily in IKE's design, engineering, and manufacturing to deliver a superior product that sets us apart from the competition. IKE is fabricated with premium hardware to ensure performance and longevity in all conditions.



HARDWARE	DESCRIPTION
<b>PHYSICAL</b>	<ul style="list-style-type: none"> <li>Size: (H x W x D) 99.5" x 37.5" x 12.5"</li> <li>Weight: 832 lbs</li> <li>Required sidewalk area: 74" x 76"</li> <li>74" x 36" level area on both sides of the kiosk is provided in compliance with building codes</li> </ul>
<b>POWER SOURCE</b>	<ul style="list-style-type: none"> <li>20A @ 120V / 15A @ 240V</li> <li>Max power consumption 1920W</li> <li>Connects to new or existing metered/unmetered utility service as needed, fed from underground in the sidewalk</li> <li>Evaluated to UL Safety Standards by a Nationally Recognized Testing Laboratory (NRTL)</li> </ul>
<b>TOUCHSCREEN DISPLAYS</b>	<ul style="list-style-type: none"> <li>Screen size: 65"</li> <li>Screen type: IPS LCD</li> <li>Resolution: 1920 x 1080</li> <li>Aspect ratio: 16:9</li> <li>Active image area : 56.2" x 31.6"</li> <li>Viewing angle: (H x V) 178° x 178°</li> <li>Direct LED backlit</li> <li>Brightness: 4000 nits, auto-adjusted by ambient light sensors</li> <li>Supports polarized sunglasses</li> </ul>
<b>INTERNET CONNECTIVITY</b>	<ul style="list-style-type: none"> <li>Wireless Access Point for free public Wi-Fi</li> <li>Hotspot within a 75' radius</li> <li>Connectivity provided by mobile modem, LTE Advanced with SIM-based auto-carrier</li> <li>Fiber optics possible but not required</li> </ul>
<b>STANDARD/OPTIONAL CAMERAS</b>	<ul style="list-style-type: none"> <li>Standard configuration: Two integrated video cameras for novelty use in Photo Booth application</li> <li>Optional technology: One emergency call camera and two security cameras with a DVR recording system</li> </ul>
<b>OPTIONAL EMERGENCY CALL SYSTEM</b>	<ul style="list-style-type: none"> <li>Emergency call button with an integrated cellular connection module connects to local emergency authorities when pressed</li> <li>Integrated speaker provides two-way audio communication and pinhole camera allows emergency services to see the caller and surroundings</li> </ul>
<b>ADA COMPLIANCE</b>	<ul style="list-style-type: none"> <li>Minimum touchscreen height (ADA enabled) = 15 inches</li> <li>Maximum touchscreen height (ADA enabled) = 48 inches</li> <li>Side reach maximum (i.e. footing-to-screen distance) = 10 inches</li> <li>Leading edge of protrusion less than 27 inches</li> </ul>