

MIAMI BEACH

PLANNING DEPARTMENT

Staff Report & Recommendation

Design Review Board

TO: DRB Chairperson and Members

DATE: May 7, 2024

FROM: Thomas R. Mooney, AICP
Planning Director

SUBJECT: DRB24-1006
6360 North Bay Road

An application has been filed requesting modifications to a previously issued Design Review Approval for the construction of additions to an existing 2-story home and a new tennis court. Specifically, the application includes variances from the setback requirements and height for a wall/fence/gate along the front property line.

RECOMMENDATION:

Approval of the fence design and variances.

LEGAL DESCRIPTION:

Lot 7, the southerly half of Lot 6, Block 1, Lot 8 and the NE 25 feet of Lot 9, Block 1, of "La Gorce-Golf Subdivision" according to the Plat thereof, as recorded in Plat Book 14, Page 43, of the Public Records of Miami-Dade County, Florida.

BACKGROUND

On May 4, 2021, the Design Review Board approved an application for the construction of additions to an existing two-story residence and a new tennis court, pursuant to DRB20-0614.

SITE DATA:

Zoning: RS-2
Future Land Use: RS
Lot Size: 52,316 SF
Lot Coverage: No Change
Proposed: No Change
Maximum: 15,694.8 SF /30%
Unit size:
Proposed: No Change
Maximum: 26,158 SF / 50%
Height:
Proposed: No Change
Maximum: 23'-0" Flat Roof

Grade: +3.73' NGVD
Base Flood Elevation: +8.00' NGVD
Adjusted Grade: 5.85' NGVD

SURROUNDING PROPERTIES:

Northeast: 1951 one-story residence
Northwest: Biscayne Bay
Southwest: 1937 2-story residence
Southeast: 1937 one-story residence |
1938 two-story residence

THE PROJECT:

The applicants have submitted plans entitled "6360 North Bay Road", as prepared by **CFZ Design**, dated, 03-10-2024. The subject waterfront property is comprised of two unified platted lots on North Bay Road. The DRB approved additions and associated tennis courts have since been constructed. However, due to varying ground elevation heights and security concerns, the applicant is returning to the Board with modification to the design of the property wall/fence, which includes variances.

The applicant is requesting the following variances:

1. A variance to reduce by 4'-0" the required front yard setback of 4'-0" in order to construct a 7'-0" high wall/fence at a setback of 0'-0".
2. A variance to exceed by 2'-0" the maximum allowed height of 7'-0" in the required side yards in order to construct a wall/fence at a height of 8'-0" and a gate at a height of 9'-0".

PRACTICAL DIFFICULTY AND HARDSHIP CRITERIA

The applicant has submitted plans and documents with the application that staff has concluded satisfy Article 1, Section 2 of the Related Special Acts.

Additionally, staff has concluded that the plans and documents submitted with the application comply with the following hardship criteria, as they relate to the requirements of Section 2.8.3 of the Land Development Regulations:

- i. Special conditions and circumstances exist which are peculiar to the land, structure, or building involved and which are not applicable to other lands, structures, or buildings in the same zoning district;
- ii. The special conditions and circumstances do not result from the action of the applicant;
- iii. Granting the variance requested will not confer on the applicant any special privilege that is denied by these land development regulations to other lands, buildings, or structures in the same zoning district;
- iv. Literal interpretation of the provisions of these land development regulations would deprive the applicant of rights commonly enjoyed by other properties in the same zoning district under the terms of these land development regulations and would work unnecessary and undue hardship on the applicant;
- v. The variance granted is the minimum variance that will make possible the reasonable use of the land, building or structure;
- vi. The granting of the variance will be in harmony with the general intent and purpose of these land development regulations and that such variance will not be injurious to the area involved or otherwise detrimental to the public welfare;
- vii. The granting of this request is consistent with the comprehensive plan and does not reduce the levels of service as set forth in the plan; and
- viii. The granting of the variance will result in a structure and site that complies with the sea level rise and resiliency review criteria in chapter 7, article I, as applicable.

COMPLIANCE WITH ZONING CODE:

A preliminary review of the project indicates that the application, as proposed, appears to be consistent with the City Code, with the exception of the requested variances. The above noted comments shall not be considered final zoning review or approval. These and all zoning matters shall require final review and verification by the Zoning Administrator prior to the issuance of a Building Permit.

COMPLIANCE WITH DESIGN REVIEW CRITERIA, SECTION 2.5.3.1:

Design review encompasses the examination of architectural drawings for consistency with the criteria stated below, with regard to the aesthetics, appearance, safety, and function of any new or existing structure and physical attributes of the project in relation to the site, adjacent structures and surrounding community. The design review board and the planning department shall review plans based upon the below stated criteria, criteria listed in neighborhood plans, if applicable, and applicable design guidelines. Recommendations of the planning department may include, but not be limited to, comments from the building department and the public works department.

- a. The existing and proposed conditions of the lot, including but not necessarily limited to topography, vegetation, trees, drainage, and waterways.
NA
- b. The location of all existing and proposed buildings, drives, parking spaces, walkways, means of ingress and egress, drainage facilities, utility services, landscaping structures, signs, and lighting and screening devices.
NA
- c. The dimensions of all buildings, structures, setbacks, parking spaces, floor area ratio, height, lot coverage and any other information that may be reasonably necessary to determine compliance with the requirements of the underlying zoning district, and any applicable overlays, for a particular application or project.
NA
- d. The color, design, selection of landscape materials and architectural elements of exterior building surfaces and primary public interior areas for developments requiring a building permit in areas of the city identified in section 2.5.3.2.
Satisfied
- e. The proposed site plan, and the location, appearance and design of new and existing buildings and structures are in conformity with the standards of this article and other applicable ordinances, architectural and design guidelines as adopted and amended periodically by the design review board and historic preservation board and all pertinent master plans.
NA
- f. The proposed structure, or additions or modifications to an existing structure, indicates a sensitivity to and is compatible with the environment and adjacent structures, and enhances the appearance of the surrounding properties.
Satisfied
- g. The design and layout of the proposed site plan, as well as all new and existing buildings shall be reviewed so as to provide an efficient arrangement of land uses. Particular attention shall be given to safety, crime prevention and fire protection, relationship to the surrounding neighborhood, impact on contiguous and adjacent buildings and lands, pedestrian sight lines and view corridors.
NA

- h. Pedestrian and vehicular traffic movement within and adjacent to the site shall be reviewed to ensure that clearly defined, segregated pedestrian access to the site and all buildings is provided for and that all parking spaces are usable and are safety and conveniently arranged; pedestrian furniture and bike racks shall be considered. Access to the site from adjacent roads shall be designed so as to interfere as little as possible with traffic flow on these roads and to permit vehicles a rapid and safe ingress and egress to the site.
NA
- i. Lighting shall be reviewed to ensure safe movement of persons and vehicles and reflection on public property for security purposes and to minimize glare and reflection on adjacent properties. Lighting shall be reviewed to assure that it enhances the appearance of structures at night.
NA
- j. Landscape and paving materials shall be reviewed to ensure an adequate relationship with and enhancement of the overall site plan design.
NA
- k. Buffering materials shall be reviewed to ensure that headlights of vehicles, noise, and light from structures are adequately shielded from public view, adjacent properties and pedestrian areas.
Satisfied
- l. The proposed structure has an orientation and massing which is sensitive to and compatible with the building site and surrounding area and which creates or maintains important view corridor(s).
NA
- m. The building has, where feasible, space in that part of the ground floor fronting a street or streets which is to be occupied for residential or commercial uses; likewise, the upper floors of the pedestal portion of the proposed building fronting a street, or streets shall have residential or commercial spaces, shall have the appearance of being a residential or commercial space or shall have an architectural treatment which shall buffer the appearance of the parking structure from the surrounding area and is integrated with the overall appearance of the project.
NA
- n. The building shall have an appropriate and fully integrated rooftop architectural treatment which substantially screens all mechanical equipment, stairs and elevator towers.
NA
- o. An addition on a building site shall be designed, sited and massed in a manner which is sensitive to and compatible with the existing improvement(s).
NA
- p. All portions of a project fronting a street or sidewalk shall incorporate an architecturally appropriate amount of transparency at the first level in order to achieve pedestrian compatibility and adequate visual interest.

Satisfied

- q. The location, design, screening and buffering of all required service bays, delivery bays, trash and refuse receptacles, as well as trash rooms shall be arranged so as to have a minimal impact on adjacent properties.
NA
- r. In addition to the foregoing criteria, subsection 118-104-6(t) of the General Ordinances shall apply to the design review board's review of any proposal to place, construct, modify or maintain a wireless communications facility or other over the air radio transmission or radio reception facility in the public rights- of-way.
NA
- s. The structure and site comply with the sea level rise and resiliency review criteria in chapter 7, article I, as applicable.
NA

COMPLIANCE WITH SEA LEVEL RISE AND RESILIENCY REVIEW CRITERIA

Section 7.1.2.4(a)(i) of the Land Development Regulations establishes review criteria for sea level rise and resiliency that must be considered as part of the review process for board orders.

The following is an analysis of the request based upon these criteria:

1. A recycling or salvage plan for partial or total demolition shall be provided.
NA
2. Windows that are proposed to be replaced shall be hurricane proof impact windows.
NA
3. Where feasible and appropriate, passive cooling systems, such as operable windows, shall be provided.
NA
4. Resilient landscaping (salt tolerant, highly water-absorbent, native or Florida friendly plants) shall be provided, in accordance with Chapter 4 of the Land Development Regulations.
NA
5. The project applicant shall consider the adopted sea level rise projections in the Southeast Florida Regional Climate Action Plan, as may be revised from time-to-time by the Southeast Florida Regional Climate Change Compact. The applicant shall also specifically study the land elevation of the subject property and the elevation of surrounding properties.
NA
6. The ground floor, driveways, and garage ramping for new construction shall be adaptable to the raising of public rights-of-ways and adjacent land and shall provide sufficient height and space to ensure that the entry ways and exits can be modified to accommodate a higher street height of up to three (3) additional feet in height.
NA

7. In all new projects, all critical mechanical and electrical systems shall be located above base flood elevation. Due to flooding concerns, all redevelopment projects shall, whenever practicable, and economically reasonable, move all critical mechanical and electrical systems to a location above base flood elevation.
NA
8. Existing buildings shall be, where reasonably feasible and economically appropriate, elevated up to base flood elevation, plus City of Miami Beach Freeboard.
NA
9. When habitable space is located below the base flood elevation plus City of Miami Beach Freeboard, wet or dry flood proofing systems will be provided in accordance with Chapter of 54 of the City Code.
NA
10. In all new projects, water retention systems shall be provided.
NA
11. Cool pavement materials or porous pavement materials shall be utilized.
NA
12. The project design shall minimize the potential for a project causing a heat island effect on site.
NA

STAFF ANALYSIS:
DESIGN REVIEW

The applicant is proposing modifications to the existing fence wall and entrance gate within the front yard of the contemporary two-story residence. The design approval of the residential addition, site design, including a tennis court, was reviewed and approved the Design Review Board on May 4, 2021. The modifications to the fence wall and entrance gate include two variances.

The fence design approved and constructed along the front property line is five feet high and composed of alternating, stucco-finished masonry walls and columns. The applicant has safety concerns with the existing height of the wall that is exacerbated by the varying elevations between the city swale and the developed site. As such, the architect is proposing modifications to the existing fence wall and entrance gate that will increase the overall height of the fence wall to 7'-0", and the entrance gate and associated columns to 9'-0". The design proposed extends the height of the existing columns by 2' and features new vertical aluminum pickets that attach to the existing stucco wall. The revised fence design fulfills the applicant's desire for additional security and height increase while maintaining transparency between the pedestrian and private realm.

VARIANCE REVIEW

The applicant is requesting the following variances:

1. A variance to reduce by 4'-0" the required front yard setback of 4'-0" in order to construct a 7'-0" high wall/fence at a setback of 0'-0".

2. A variance to exceed by 2'-0" the maximum allowed height of 7'-0" in the required side yards in order to construct a wall/fence at a height of 8'-0" and gate at a height of 9'-0".
- Variances requested from:

7.2.2.3 Development Regulations (RS)

(b) *The development regulations for the RS-1, RS-2, RS-3, RS-4 single-family residential districts are as follows:*

12. *Allowable encroachments within required yards.*

H. Fences, walls, and gates. Regulations pertaining to materials and heights for fences, walls and gates are as follows:

FENCES, WALLS AND GATES STANDARDS TABLE (RS)	
Maximum Height at the Front Yard ^(A)	
At the property line	5 feet, as measured from grade
Set back from the property line	5 feet plus 1 foot for every 2 feet of setback up to a maximum of 7 feet, as measured from grade

Variances #1 and #2 are related to the height and setback requirement for the fences and gates located along the front yard. The proposed fence is located at the front property line and consists of a concrete wall with aluminum vertical pickets. However, the gate is designed in a composite wood finish that compliments the architectural style of the existing residence. Pursuant to Code requirements, fences, walls, and gates within the required front yard shall not exceed five feet, as measured from grade. As an alternative, the height may be increased up to a maximum total height of seven feet if the fence, wall or gate is set back from the front property line. For this purpose, the height may be increased one foot for every two feet of setback. The applicant is proposing the fence at a height of 8' whereas the gate is proposed at 9' at the front lot line.

As previously stated, fences and gates that are located within the required yard shall be measured from the grade elevation. Grade is defined as the elevation from the centerline of the sidewalk and if no sidewalk is present, grade is taken from the crown of road. The lots located north of 63rd Street and west of North Bay Road do not front a sidewalk. Consequently, the fence and gate heights would be measured from the crown of the road which is a relatively low elevation. The ground level at the perimeter wall is located at 4.96' NGVD while the Crown of Road is at 3.77' NGVD (as indicated in the survey provided). This has resulted in a wall height that is only 3.81' above the actual ground level.

The applicant has indicated that there have been security issues as a result of the low wall. Furthermore, the City intends to raise the street to the future crown of road elevation to 5.96' NGVD in 2025 and 7.06' NGVD in 2040, further reducing the functional height of the existing wall.

Staff finds that the variances requested are due to site conditions that are inherent to the

Property. These special conditions present practical difficulties in providing a fence and gate that can adequately secure the property. Staff is supportive of the application and recommends approval of the design and variances as proposed.

RECOMMENDATION:

In view of the foregoing analysis, staff recommends the application be **approved**, including approval of the variances, subject to the conditions enumerated in the attached Draft Order which address the inconsistencies with the aforementioned Design Review Criteria and Practical Difficulty and Hardship criteria, as applicable.

DESIGN REVIEW BOARD
City of Miami Beach, Florida

MEETING DATE: May 7, 2024

PROPERTY/FOLIO: **6360 North Bay Road** **02-3215-003-0080**

FILE NO: DRB24-1006

IN RE: An application has been filed requesting modifications to a previously issued Design Review Approval for the construction of additions to an existing 2-story home and a new tennis court. Specifically, the application includes variances from the setback requirements and height for a wall/fence/gate along the front property line.

LEGAL: Lot 7, the southerly half of Lot 6, Block 1, Lot 8 and the NE 25 feet of Lot 9, Block 1, of "La Gorce-Golf Subdivision" according to the Plat thereof, as recorded in Plat Book 14, Page 43, of the Public Records of Miami-Dade County, Florida.

APPLICANT: North Bay Palms Trust

S U P P L E M E N T A L O R D E R

The City of Miami Beach Design Review Board makes the following FINDINGS OF FACT, based upon the evidence, information, testimony and materials presented at the public hearing and which are part of the record for this matter:

I. Design Review

- A. The Board has jurisdiction pursuant to Section 2.1.3.1 of the Land Development Regulations. The property is not located within a designated local historic district and is not an individually designated historic site.
- B. Based on the plans and documents submitted with the application, testimony and information provided by the applicant, and the reasons set forth in the Planning Department Staff Report, the project as submitted is consistent with Design Review Criteria in Section 2.5.3.1 of the Land Development Regulations.
- C. Based on the plans and documents submitted with the application, testimony and information provided by the applicant, and the reasons set forth in the Planning Department Staff Report, the project as submitted is consistent with Sea Level Rise Criteria in Section 7.1.2.4(a)(i) of the Land Development Regulations.
- D. The property shall comply with all of the conditions of the original approval enumerated in the Final Order for DRB20-0614, dated May 4, 2021, except as modified herein.
- E. The project would be consistent with the criteria and requirements 2.5.3.1 and/ or Section 7.1.2.4(a)(i) if the following conditions are met:

1. Revised elevation, site plan, and floor plan drawings for the modified fence at 6360 North Bay Road shall be submitted, at a minimum, such drawings shall incorporate the following:
 - a. The design of the fence wall, columns and entrance gate is approved as proposed.
 - b. The final design details and finish of the proposed aluminum pickets, including sample, shall be submitted, in a manner to be reviewed and approved by staff consistent with the Design Review Criteria and/or the directions from the Board.
 - c. The final design details of the exterior materials and finishes shall be submitted, in a manner to be reviewed and approved by staff consistent with the Design Review Criteria and/or the directions from the Board.
 - d. Prior to the issuance of a Certificate of Occupancy, the project Architect shall verify, in writing, that the subject project has been constructed in accordance with the plans approved by the Planning Department for Building Permit.

In accordance with section 2.2.4.8 of the Land Development Regulations, the applicant, the City Manager, Miami Design Preservation League, Dade Heritage Trust, or an affected person may appeal a decision of the design review board for design review approval only to the city commission, except that orders granting or denying a request for rehearing shall not be reviewed by the commission.

II. Variance(s)

- A. The applicant filed an application with the Planning Department for the following variance(s):
 1. A variance to reduce by 4'-0" the required front yard setback of 4'-0" in order to construct a 7'-0" high wall/fence at a setback of 0'-0".
 2. A variance to exceed by 2'-0" the maximum allowed height of 7'-0" in the required side yards in order to construct a wall/fence at a height of 8'-0" and a gate at a height of 9'-0".
- B. The applicant has submitted plans and documents with the application that satisfy Article 1, Section 2 of the Related Special Acts, as noted above allowing the granting of a variance if the Board finds that practical difficulties exist with respect to implementing the proposed project at the subject property.

Additionally, the Board has concluded that the plans and documents submitted with the application comply with the following hardship criteria, as they relate to the requirements of Section 2.8.3 of the Land Development Regulations:

- i. Special conditions and circumstances exist which are peculiar to the land,

- structure, or building involved and which are not applicable to other lands, structures, or buildings in the same zoning district;
- ii. The special conditions and circumstances do not result from the action of the applicant;
 - iii. Granting the variance requested will not confer on the applicant any special privilege that is denied by these land development regulations to other lands, buildings, or structures in the same zoning district;
 - iv. Literal interpretation of the provisions of these land development regulations would deprive the applicant of rights commonly enjoyed by other properties in the same zoning district under the terms of these land development regulations and would work unnecessary and undue hardship on the applicant;
 - v. The variance granted is the minimum variance that will make possible the reasonable use of the land, building or structure;
 - vi. The granting of the variance will be in harmony with the general intent and purpose of these land development regulations and that such variance will not be injurious to the area involved or otherwise detrimental to the public welfare;
 - vii. The granting of this request is consistent with the comprehensive plan and does not reduce the levels of service as set forth in the plan; and
 - viii. The granting of the variance will result in a structure and site that complies with the sea level rise and resiliency review criteria in chapter 7, article I, as applicable.
- B. The Board hereby **Approves** the Variance request(s), and imposes the following conditions based on its authority in Section 2.8.4 of the Land Development Regulations:
1. Substantial modifications to the plans submitted and approved as part of the application, as determined by the Planning Director or designee, may require the applicant to return to the Board for approval of the modified plans, even if the modifications do not affect variances approved by the Board.

The decision of the Board regarding variances shall be final and there shall be no further review thereof except by resort to a court of competent jurisdiction by petition for writ of certiorari.

III. General Terms and Conditions applying to both ‘I. Design Review Approval and ‘II. Variances’ noted above.

- A. All new construction over 7,000 square feet shall be required to be, at a minimum, certified as LEED Gold by USGBC. In lieu of achieving LEED Gold certification, properties can elect to pay a sustainability fee, pursuant to Section 7.1.3.2 of the Land Development Regulations. This fee is set as a percentage of the cost of construction.
- B. Upon the issuance of a final Certificate of Occupancy or Certificate of Completion, as applicable, the project approved herein shall be maintained in accordance with the

- plans approved by the board and shall be subject to all conditions of approval herein, unless otherwise modified by the Board. Failure to maintain shall result in the issuance of a Code Compliance citation, and continued failure to comply may result in revocation of the Certificate of Occupancy, Completion and Business Tax Receipt.
- C. During construction work, the applicant shall maintain gravel at the front of the construction site within the first 15'-0" of the required front yard and including the swale (subject to the review and approval of Public Works), to mitigate disturbance of soil and mud by related personal vehicles exiting and entering the site. All construction materials, including dumpsters and portable toilets, shall be located behind the construction fence and not visible from the right-of-way.
 - D. During the course of construction, all vehicles, including, but not limited to all personal vehicles, shall park within the confines of the private property, the swale directly abutting the construction site, or at alternate overflow parking sites that are not on-street metered spaces and not zoned RS. Additionally, parking of any vehicles shall be prohibited in the travel lanes of all streets.
 - E. All allowable construction signage shall be attached to or situated behind the construction fence and shall be limited to one (1) sign, not to exceed four (4) square feet, in accordance with Section 6.3.2 of the Land Development Regulations.
 - F. The building and parking departments shall approve a construction parking plan prior to the issuance of any building permit, including applicable demolition permits for the project.
 - G. The applicant shall ensure that the contractor(s) observe good construction practices and prevent construction materials and debris from impacting the right-of-way.
 - H. The contractor(s) shall ensure that the street and the swale directly abutting the construction site remains free of debris and refuse at all times; at a minimum, the contractor(s) shall inspect and clear the street and swale areas before leaving at the end of each day.
 - I. This order shall be enforced by the Building, Planning, Parking and Code Compliance Departments.
 - J. A recycling/salvage plan shall be provided as part of the submittal for a demolition/building permit, in a manner to be reviewed and approved by staff.
 - K. A copy of all pages of the recorded Final Order shall be scanned into the plans submitted for building permit and shall be located immediately after the front cover page of the permit plans.
 - L. The Final Order shall be recorded in the Public Records of Miami-Dade County, prior to the issuance of a Building Permit.
 - M. Satisfaction of all conditions is required for the Planning Department to give its approval on a Certificate of Occupancy; a Temporary Certificate of Occupancy or

Partial Certificate of Occupancy may also be conditionally granted Planning Departmental approval.

- N. The Final Order is not severable, and if any provision or condition hereof is held void or unconstitutional in a final decision by a court of competent jurisdiction, the order shall be returned to the Board for reconsideration as to whether the order meets the criteria for approval absent the stricken provision or condition, and/or it is appropriate to modify the remaining conditions or impose new conditions.
- O. The conditions of approval herein are binding on the applicant, the property's owners, operators, and all successors in interest and assigns.
- P. Nothing in this order authorizes a violation of the City Code or other applicable law, nor allows a relaxation of any requirement or standard set forth in the City Code.

IT IS HEREBY ORDERED, based upon the foregoing findings of fact, the evidence, information testimony and materials presented at the public hearing, which are part of the record for this matter, and the staff report and analysis, which are adopted herein, including the staff recommendations, which were amended and adopted by the Board, that the **application** is GRANTED for the above-referenced project subject to those certain conditions specified in Paragraph I, II, III of the Finding of Fact, to which the applicant has agreed.

PROVIDED, the applicant shall build substantially in accordance with the plans entitled "6360 North Bay Road", as prepared by **CFZ Design**, dated, 03-10-2024, as determined by staff.

When requesting a building permit, the plans submitted to the Building Department for permit shall be consistent with the plans approved by the Board, modified in accordance with the conditions of approval that must be satisfied prior to permit issuance, as set forth in this Order, have been met.

The issuance of the approval does not relieve the applicant from obtaining all other required Municipal, County and/or State reviews and permits, including final zoning approval. If adequate handicapped access is not provided on the Board approved plans, this approval does not mean that such handicapped access is not required. When requesting Building permit, the plans submitted to the Building Department for permit shall be consistent with the plans approved by the Board, modified in accordance with the conditions set forth in this Order.

If the Full Building Permit for the project is not issued within eighteen (18) months of the meeting date at which the original approval was granted, the application will expire and become null and void, unless the applicant makes an application to the Board for an extension of time, in accordance with the requirements and procedures of Section 2.2.4.6 of the Land Development Regulations; the granting of any such extension of time shall be at the discretion of the Board. If the Full Building Permit for the project shall expire for any reason (including but not limited to construction not commencing and continuing, with required inspections, in accordance with the applicable Building Code), the application will expire and become null and void.

In accordance with Chapter 2 of the Land Development Regulations, the violation of any conditions and safeguards that are a part of this Order shall be deemed a violation of the land development regulations of the City Code. Failure to comply with this **Order** shall subject the

