

Tree Protection Area, Entrance Prohibited
To report violations contact
City Code Enforcement

1. MINIMUM SIX (6) FOOT HIGH TEMPORARY CHAINLINK FENCE SHALL BE PLACED AT THE CRITICAL ROOT ZONE OR DESIGNATED LIMIT OF DISTURBANCE OF THE TREE TO BE SAVED. FENCE SHALL COMPLETELY ENCIRCLE TREES/INITIAL FENCE POSTS USING IRON RINGS ONLY. AVOID POST OR STAKES INTO MAJOR ROOTS, MODIFICATIONS TO FENCING MATERIAL AND LOCATION MUST BE APPROVED BY PLANNING OFFICIAL.
2. TREATMENT OF ROOTS EXPOSED DURING CONSTRUCTION: FOR ROOTS OVER ONE (1) INCH DIAMETER DAMAGED DURING CONSTRUCTION, MAKE A CLEAN STRAIGHT CUT TO REMOVE DAMAGED PORTION OF ROOT. ALL EXPOSED ROOTS SHALL BE TEMPORARILY COVERED WITH DAMP BURLAP TO PREVENT DRYING AND COVERED WITH SOIL AS SOON AS POSSIBLE.
3. NO STOCKPILING OF MATERIALS, VEHICULAR TRAFFIC, OR STORAGE OF EQUIPMENT OR MACHINERY SHALL BE ALLOWED WITHIN THE LIMIT OF THE FENCING. FENCING SHALL NOT BE MOVED OR REMOVED UNLESS APPROVED BY THE CITY PLANNING OFFICIAL. WORK WITHIN FENCING PROTECTION FENCE SHALL BE DONE MANUALLY UNDER THE SUPERVISION OF THE ON-SITE ARBORIST AND WITH PRIOR APPROVAL BY THE CITY PLANNING OFFICIAL.
4. FENCING SIGNAGE AS DETAILED ABOVE MUST BE POSTED EVERY FIFTEEN (15) FEET ALONG THE FENCE.

TREE PROTECTION FENCING DETAIL
(for public and private trees)




 Digitally signed by
 DFE - C-04, ex-Florida,
 serialNumber=AATL20
 240208335691,
 cn=GSLA Design,
 cn=Ken Gardner,
 email=ken.gardner@fdot
 .com
 Date: 2024.03.15
 09:48:40 -0400

I hereby certify that the above described work was performed in accordance with the provisions of the contract and that the work was completed on or before the date shown on the contract.


Ken Gardner

 R/LA #1569
 FL LA Project 2025

DATE 3.13.2024

SCALE as noted

SHEET LA1-02



1691 MICHIGAN
1691 Michigan Ave
Miami Beach, FL 33139



DRB SUBMITTAL SET

PLANTING PLAN
LEVEL 2



Kan Gardner
Kant | Senior

RLA #1509
RLA #0007205

DATE 3.13.2024

SCALE _____ as noted
SHEET _____ LA3-02





DRB SUBMITTAL SET

TITLE

PLANTING PLAN
LEVEL 5



