


The Shore Club

1901 Collins Ave, Miami Beach FL 33139



Rev.	Date

ALL DRAWINGS AND WRITTEN MATERIAL APPEARING HEREIN CONSTITUTE THE ORIGINAL AND UNPUBLISHED WORK OF KOBILKARP AIA, AND MAY NOT BE DUPLICATED, USED, OR DISCLOSED WITHOUT THE EXPRESS WRITTEN CONSENT OF KOBILKARP ARCHITECTURE & INTERIOR DESIGN, INC. AIA (c)

2104

Shore Club

1901 Collins Ave.
Miami Beach, FL
33139

Owner:
Name: Shore Club Property Owner LLC
Address: 4400 Biscayne Blvd, Suite 900
Address: Miami, FL 33137
Name: Adam Gottlieb
Email: gottlieba@wikoff.com

Design Architect:
Name: Robert A.M Stern Architects LLP
Address: One Park Avenue
Address: New York, NY 10016
Tel: 212.967.5100
Email: d.silberman@rams.com

Architect:
Name: Kobi Karp
Address: 571 NW 28th Street
Address: Miami, Florida 33127
Tel: 305.573.1818
Email: kobikarp@kobikarp.com

Civil:
Name: Kimley-Horn
Address: 2 Alhambra Plaza
Address: Suite 500, Coral Gables, FL 33134
Tel: 305-673-2025
Email:

Historic Preservation:
Name: Heritage Architectural Associates
Address: 4300 Biscayne Blvd, Suite 203
Address: Miami, FL 33137
Tel: +1 305 761 3842
Email: savdakov@heritagearchitectural.com




COVER

Date: 7/25/2024	Sheet No.
Scale:	A-0.0
Project: 2104	

FIRST SUBMITTAL PB24-0679

PB FINAL SUBMITTAL 24-0679

HPB - INDEX OF DRAWINGS	
SHEET NO.	SHEET NAME
0- GENERAL	
A-0.0	COVER
A-0.1	INDEX OF DRAWINGS
A-0.2	PROJECT DATA
A-0.3	PROJECT DATA
A-0.4	SURVEY
A-0.6	EXTERIOR RENDERING
A-0.7	EXTERIOR RENDERING
1- SITE	
A-1.0	PB SET BACKS DIAGRAMS
A-1.1	SITE PLAN
2- OVERALL	
A-2.0	OVERALL LEVEL -1
A-2.1	OVERALL LEVEL 1
A-2.2	ALTERNATIVE PARKING PLAN
3-ENLARGED	
A-3.0	PARKING LEVEL PLAN
A-3.1	LOADING LEVEL PLAN
5- SECTIONS	
A-5.1	PB SERVICE BUILDING SECTIONS
A-5.2	PB SERVICE BUILDING SECTIONS
A-5.3	PB SERVICE BUILDING 3D ISOMETRICS
A-6.1	PARKING SYSTEM SPECIFICATIONS
A-6.2	PARKING SYSTEM SPECIFICATIONS
A-6.3	PARKING SYSTEM SPECIFICATIONS



Rev.	Date

ALL DRAWINGS AND WRITTEN MATERIAL APPEARING HEREIN CONSTITUTE THE ORIGINAL AND UNPUBLISHED WORK OF KOBIAKAP AIA, AND MAY NOT BE DUPLICATED, USED, OR DISCLOSED WITHOUT THE EXPRESS WRITTEN CONSENT OF KOBIAKAP ARCHITECTURE & INTERIOR DESIGN, INC. AIA. (c)

2104

Shore Club

1901 Collins Ave.
Miami Beach, FL
33139

Owner:	
Name	Shore Club Property Owner LLC
Address	4400 Biscayne Blvd, Suite 900
Address	Miami, FL 33137
Name	Adam Gottlieb
Email	gottlieba@wikoff.com

Design Architect:	
Name	Robert A. M Stern Architects LLP
Address	One Park Avenue
Address	New York, NY 10016
Tel:	212.967.5100
Email	d.silberman@ramsa.com

Architect:	
Name	Kobi Karp
Address	571 NW 28th Street
Address	Miami, Florida 33127
Tel:	305.573.1818
Email	kobikarp@kobikarp.com

Civil:	
Name	Kimley-Horn
Address	2 Alhambra Plaza
Address	Suite 500, Coral Gables, FL 33134
Tel:	305-673-2025
Email	

Historic Preservation:	
Name	Heritage Architectural Associates
Address	4300 Biscayne Blvd, Suite 203
Address	Miami, FL 33137
Tel:	+1 305 761 3642
Email	savdakov@heritagearchitectural.com



INDEX OF DRAWINGS

Date:	7/25/2024	Sheet No.
Scale:		A-0.1
Project:	2104	

PB FINAL SUBMITTAL 24-0679

Seating / O.C.C Chart for parking calculation					
Shore Club - Historic					
Floor Level	Room Name	Type	Area	Total Seats/Occupants	Parking Required
Ground	Shore Club Historic Lobby	Lobby	2,796 SF	186 seats	N/A
		Total Lobby	2,796 SF	186 seats	N/A
	Gym/SPA		6,269 SF	Accessory Use	N/A
	Restaurant		1,990 SF	Accessory Use	N/A
Level 2	SPA		5,837 SF	Accessory Use	N/A
Level 3					
Level 4					
Totals				186 seats	0
Grossman - Historic					
Floor Level	Room Name	Type	Area	Total Seats/Occupants	Parking Required
Ground				Accessory Use	N/A
				0 seats	N/A
				0 seats	N/A
				0 seats	N/A
Totals			0 SF	0 seats	0
Cromwell - Historic					
Floor Level	Room Name	Type	Area	Total Seats/Occupants	Parking Required
Ground	Cromwell Restaurant	Indoor Dining	2,073 SF	138 seats	N/A
		Outdoor Dining	1,867 SF	124 seats	N/A
				0 seats	N/A
				0 seats	N/A
Totals			3,940 SF	263 seats	0
Residential Tower - New					
Floor Level	Room Name	Type	Area	Total Seats/Occupants	Parking Required
Ground	Café Bar	Indoor Dining	2,750 SF	183 seats	26.19
		Outdoor Lounge	1,835 SF	122 seats	17.48
Totals			4,585 SF	306 seats	44 spaces
Unit Mix / Parking Requirements					
Unit Type	Quantity	Area Range	Space / Unit	Parking Required	
Hotel - Shore Club (Historic)	39 Units	450-1025 SF	N/A	N/A	
Hotel - Cromwell (Historic)	15 Units	700-925 SF	N/A	N/A	
Hotel - Grossman (Historic)	22 Units	666-1225 SF	N/A	N/A	
Residential - Cromwell (Historic)	0 Units	550-999 SF	N/A	N/A	
	0 Units	1000-1200 SF	N/A	N/A	
	4 Units	+ 1200 SF	N/A	N/A	
	0 Units	550-999 SF	N/A	N/A	
Residential - New Tower	0 Units	1000-1200 SF	N/A	N/A	
	44 Units	+ 1200 SF	2	88	
Residential - Villa	1 Unit	+ 1200 SF	2	2	
Total				90 spaces	
Guest Parking			10%	9	
Total				143 spaces	
Grand Total				* 127 spaces	

* As per Section 5.2.14 Alternative Parking Incentives. Reduction of one parking space per 5 bike spaces up to 25% of the required number of spaces.	16
--	----

Bicycle Calculation				
Use	Rate	Rate	Spaces Required	Spaces Proposed
Dining	N/A	N/A	0	
New Apartment units	45 Units	0.5 PS per unit (100 units max) 1 PS per unit in excess of 100 units	23	* 80 per Leed requirement

MIAMI BEACH

Planning Department, 1700 Convention Center Drive
Miami Beach, Florida 33139, www.miamibeachfl.gov
305.673.7550

MULTIFAMILY - COMMERCIAL - ZONING DATA SHEET

ITEM #

Zoning Information (BOARD FILE NUMBER 24-0679)

1

Address:

1901 Collins Ave., Miami Beach, FL, 33139

2

Board and File numbers:

3

Folio number(s):

02-3226-001-0020

4

Year constructed:

VARIES

Zoning District:

RM-3 HIGH DENSITY MULTI FAMILY RESIDENTIAL

5

Historic Designation

Local: Ocean Drive/ Collins Ave Historic District
National: Miami Beach Architectural District

FAR: 3

6

Flood Zone:

Flood Zone AE & Flood Zone X

7

Base Flood Elevation:

8.0' NGVD

6.44' NAVD

8

Design Flood Elevation:

11.5' NGVD

9.94' NAVD

9

Max. Wave Crest Elevation:

20.40' NGVD

18.84' NAVD

10

Adjusted grade (Flood+Grade/2)

N/A

11

Lot Area:

2.88 AC

Menu

12

Lot Width:

VARIES

Proposed Use:

HOTEL / RESIDENTIAL / RESTAURANT

13

Minimum Unit Size

550 SF

Average Unit Size:

800 SF

14

Existing Use:

HOTEL / RESTAURANT

15

Height #

Architectural District-New Construction*

200'-0"

Ground Floor Additions****

25'-0"

Number of Stories

2

16

Architectural District-New Construction

20 STORIES

Ground Floor Additions

2 STORIES

FAR #

395.173 SF

Gross Square Footage

N/A

Square Footage by use

N/A

Number of Units Residential

N/A

Number of Units Hotel

312

Number of Seats

N/A

Occupancy Load

N/A

17

265.126 SF

393.846 SF

49 UNITS

76 UNITS

REFER TO SEATING/O.C.C & PLUMBING CHART

REFER TO LIFE SAFETY PLANS

18

265.126 SF

393.846 SF

49 UNITS

76 UNITS

REFER TO SEATING/O.C.C & PLUMBING CHART

REFER TO LIFE SAFETY PLANS

19

265.126 SF

393.846 SF

49 UNITS

76 UNITS

REFER TO SEATING/O.C.C & PLUMBING CHART

REFER TO LIFE SAFETY PLANS

20

265.126 SF

393.846 SF

49 UNITS

76 UNITS

REFER TO SEATING/O.C.C & PLUMBING CHART

REFER TO LIFE SAFETY PLANS

21

265.126 SF

393.846 SF

49 UNITS

76 UNITS

REFER TO SEATING/O.C.C & PLUMBING CHART

REFER TO LIFE SAFETY PLANS

22

265.126 SF

393.846 SF

49 UNITS

76 UNITS

REFER TO SEATING/O.C.C & PLUMBING CHART

REFER TO LIFE SAFETY PLANS

23

265.126 SF

393.846 SF

49 UNITS

76 UNITS

REFER TO SEATING/O.C.C & PLUMBING CHART

REFER TO LIFE SAFETY PLANS

SETBACKS

REQUIRED

EXISTING

PROPOSED

DEFICIENCIES

19

Front Setback (Collins ave/ West):

N/A

N/A

N/A

20

Side Setback (Interior/ West):

N/A

N/A

N/A

21

Side Setback (Interior/ South):

N/A

N/A

N/A

22

Side Setback (Interior/ North):

N/A

N/A

N/A

23

Rear Setback (East):

N/A

N/A

N/A

24

Subterranean/ Pedestal Oceanfront Levels 0-5

20'-0"

Subterranean/ Pedestal

Subterranean/ Pedestal

25

Front Setback (Collins ave/ West):

38'-0"

72'-4" / 31'-10"

72'-4" / 31'-10"

26

Side Setback (Interior/ West):

15'-6"

8'-6" / 7'-7"

8'-6" / 6'-5"

27

Side Setback (Interior/ South):

15'-6"

70'-11" / 4'-10"

15'-6" / 5'-0"

28

Side Setback (Interior/ North):

15'-6"

5'-0" / 4'-8"

5'-0" / 4'-8"

29

Side Setback (20th Street/ North):

15'-6"

15'-10" / 27'-7"

15'-6" / 27'-7"

30

Rear Setback (East):

100'-0"

233'-3" / 265'-6"

100'-0" / 166'-10"

31

Front Setback (Collins ave/ West):

50'-0"

181'-7"

203'-8"

32

Side Setback (Interior/ West):

50'-0"

16'-10"

75'-6"

33

Side Setback (Interior/ South):

30'-5"

4'-10"

30'-5"

34

Side Setback (Interior/ North):

30'-5"

N/A

N/A

35

Side Setback (20th Street/ North):

75'-0"

27'-7"

101'-9"

36

Rear Setback (East):

100'-0"

265'-10"

166'-10"

37

Detached Additions at 25 FT max height

N/A

326'-2"

N/A

38

Front Setback (Collins ave/ West):

5'-0"

N/A

8'-6"

39

Side Setback (Interior/ South):

5'-0"

7'-1"

112'-7"

40

Side Setback (Interior/ North):

5'-0"

4'-8"

N/A

41

Side Setback (20th Street/ North):

5'-0"

126'-3"

5'-0"

42

Rear Setback (East):

50' from BL

71'-11" from BL

N/A

39

Parking District No 1

REQUIRED

EXISTING

PROPOSED

DEFICIENCIES

40

Total # of parking spaces*

127

28

127

41

of parking spaces per use (Provide a separate chart for a breakdown calculation)

SEE CHART PROVIDED

N/A

N/A

42

Valet Drop off and pick up

ON SITE Collins Ave.

ON SITE / 20th Street / Collins Ave.

43

Loading zones and trash collection areas

ON SITE / 20th Street

ON SITE / 20th Street

44

Bike Racks

SEE CHART PROVIDED

N/A

SEE CHART PROVIDED

45

Is this a contributing building?

YES

YES

46

Located within a Local Historic District?

YES

YES

47

Notes: If not applicable write N/A

48

Notes: FAR calculated per Ordinance ZBA2019-0097

49

SEE PARKING REQUIREMENTS CHART

50

* 12 spaces to be provided on site. Any additional required spaces will be provided off site or by payment in lieu.

51

Note: 100 parking spaces available Off-site parking at 237 20th Street / 2000 Collins

Rev.	Date

ALL DRAWINGS AND WRITTEN MATERIAL APPEARING HEREIN CONSTITUTE THE ORIGINAL AND UNPUBLISHED WORK OF KOBIKARP AIA, AND MAY NOT BE DUPLICATED, USED, OR DISCLOSED WITHOUT THE EXPRESS WRITTEN CONSENT OF KOBIKARP ARCHITECTURE & INTERIOR DESIGN, INC. AIA (c)

2104

Shore Club

1901 Collins Ave.
Miami Beach, FL
33139

Owner:
Name: Shore Club Property Owner LLC
Address: 4400 Biscayne Blvd, Suite 900
Address: Miami, FL 33137
Name: Adam Gottlieb
Email: gottlieb@witkoff.com

Design Architect:
Name: Robert A.M Stern Architects LLP
Address: One Park Avenue
Address: New York, NY 10016
Tel: 212.967.5100
Email: d.silberman@rams.com

Architect:
Name: Kobi Karp
Address: 571 NW 28th Street
Address: Miami, Florida 33127
Tel: 305.573.1818
Email: kobikarp@kobikarp.com

Civil:
Name: Kimley-Horn
Address: 2 Alhambra Plaza
Address: Suite 500, Coral Gables, FL 33134
Tel: 305-673-2025
Email: savdakov@heritagearchitectural.com

Historic Preservation:
Name: Heritage Architectural Associates
Address: 4300 Biscayne Blvd, Suite 203
Address: Miami, FL 33137
Tel: +1 305 761 3642
Email: savdakov@heritagearchitectural.com

PROJECT DATA

Date:	7/25/2024	Sheet No.
Scale:		A-0.2
Project:	2104	

PB FINAL SUBMITTAL 24-0679

SCOPE OF WORK

Scope of Work for Automatic Puzzle Parking System and Valet Operation Implementation.

The scope of work includes the following updates:

1. System Design and Specifications

Automatic Puzzle Parking System: Integrate a state-of-the-art automatic puzzle parking system to optimize space and enhance parking efficiency.
Capacity and Layout: Design the system to accommodate the required number of vehicles, ensuring it fits within the designated parking area while maximizing space utilization.
System Components: Specify all components of the puzzle parking system, including platforms, lifts, control panels, sensors, and safety mechanisms.

2-Foundation Work: Prepare the foundation to support the weight and operational dynamics of the puzzle parking system.

Structural Reinforcements: Implement any required structural reinforcements to existing parking structures to ensure they can support the new system.

3. Safety and Compliance

Safety Features: Implement necessary safety features, such as emergency stop buttons, safety sensors, and automated system shutdowns.

4. Valet Operation Implementation

Valet System Design: Design a valet operation system that integrates seamlessly with the automatic puzzle parking system. This includes planning the valet drop-off and pick-up points, ensuring they are strategically located for optimal efficiency.
Valet Staff Training: Train valet staff on the operation of the puzzle parking system, focusing on how to load and retrieve vehicles safely and efficiently.

5. Operational Workflow: Establish a clear operational workflow for valet services, including vehicle check-in, key management, and vehicle retrieval processes.
Customer Interaction Points: Set up designated customer interaction points where valets can greet and assist customers, ensuring a smooth and professional experience.

6. Testing and Commissioning

System Testing: Conduct comprehensive testing of the puzzle parking system and valet operation procedures, including load tests, operational checks, and safety inspections.
Commissioning: Officially commission the system, ensuring it is fully operational and meets all performance criteria.

7. User Training and Documentation


Training Sessions: Organize training sessions for staff and users, covering the operation, safety procedures, and troubleshooting of the puzzle parking system and valet operation.
Documentation: Provide detailed operation manuals, maintenance guides, and emergency protocols

8. Monitoring and Maintenance

Regular Inspections: Set up a schedule for regular inspections and maintenance to ensure the system remains in optimal working condition.
Monitoring System: Implement a monitoring system to track the performance and identify any issues promptly.

Conclusion

Implementing the automatic puzzle parking system and valet operation will significantly enhance parking efficiency, optimize space usage, and provide a seamless parking experience for users. This scope of work outlines the essential steps and considerations to ensure a successful installation and operation of both systems.



Rev.	Date

ALL DRAWINGS AND WRITTEN MATERIAL APPEARING HEREIN CONSTITUTE THE ORIGINAL AND UNPUBLISHED WORK OF KOBILKARP AIA, AND MAY NOT BE DUPLICATED, USED, OR DISCLOSED WITHOUT THE EXPRESS WRITTEN CONSENT OF KOBILKARP ARCHITECTURE & INTERIOR DESIGN, INC. AIA. (c)

2104


LEGAL DESCRIPTION

ALL LOT 1 AND A PORTION OF LOTS 2 AND 3, BLOCK 'B' OF THE OCEAN FRONT PROPERTY OF THE MIAMI BEACH IMPROVEMENT COMPANY, ACCORDING TO THE PLAT THEREOF, RECORDED IN PLAT BOOK 5 AT PAGE 7 OF THE PUBLIC RECORDS OF DADE COUNTY, FLORIDA AND ALL OF LOTS 5, 6, 8, 9 AND 10 AND A PORTION OF LOTS 4 AND 7, BLOCK 1 FISHER'S FIRST SUBDIVISION OF ALTON BEACH, ACCORDING TO THE PLAT THEREOF RECORDED IN PLAT BOOK 2 AT PAGE 77 OF THE PUBLIC RECORDS OF DADE COUNTY, FLORIDA; AND A PORTION OF LAND LYING EAST OF AND CONTIGUOUS TO THE EAST LINE OF SAID BLOCKS B AND 1(ONE) AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE NORTHWEST CORNER OF SAID BLOCK B, THENCE RUN SOUTH 70°04'39" EAST, ALONG THE NORTH LINE OF SAID BLOCK B AND ALONG THE SOUTH RIGHT-OF-WAY LINE OF 20 TH STREET, FOR A DISTANCE OF 190.50 FEET TO THE POINT OF BEGINNING OF THE HEREIN DESCRIBED PARCEL OF LAND; THENCE CONTINUE, SOUTH 70°04'39" EAST, ALONG SAID NORTH LINE AND ALONG SAID RIGHT- OF-WAY LINE, FOR A DISTANCE OF 450.09 FEET TO THE EROSION CONTROL LINE OF THE ATLANTIC OCEAN AS SHOWN ON THE PLAT THEREOF RECORDED IN PLAT BOOK 105 AT PAGE 62 OF THE PUBLIC RECORDS OF DADE COUNTY, FLORIDA; THENCE RUN SOUTH 09°26'43" WEST, ALONG SAID EROSION CONTROL LINE, FOR A DISTANCE OF 114.40 FEET TO A POINT ON A LINE 10.14 FEET SOUTHERLY, AS MEASURED ALONG A LINE PARALLEL WITH THE EASTERLY LINE OF SAID LOT 4 BLOCK 1, OF THE EASTERLY PROJECTION OF THE NORTH LINE OF SAID LOT 4, BLOCK 1; THENCE RUN SOUTH 87°58'58" WEST, ALONG SAID LINE PARALLEL WITH SAID NORTH LINE OF LOT 4, FOR A DISTANCE OF 324.39 FEET; THENCE RUN NORTH 07°36'11" EAST, PARALLEL WITH THE EAST LINE OF SAID LOTS 4 AND 5, BLOCK 1, FOR A DISTANCE OF 10.14 FEET TO A POINT ON THE SOUTHERLY LINE OF SAID LOT 5; THENCE RUN SOUTH 87°58'58" WEST, ALONG THE SOUTHERLY LINE OF SAID LOTS 5 AND 10, BLOCK 1, FOR A DISTANCE OF 325.00 FEET TO A POINT ON THE EASTERLY RIGHT-OF-WAY LINE OF COLLINS AVENUE; THENCE RUN NORTH 07°36'11" EAST, ALONG SAID EASTERLY RIGHT-OF-WAY LINE, FOR A DISTANCE OF 200.00 FEET; THENCE RUN SOUTH 70°08'36" EAST FOR A DISTANCE OF 19.34 FEET TO A POINT ON THE SOUTHERLY LINE OF SAID LOTS 2 AND 3, BLOCK B; THENCE RUN NORTH 87°59'00" EAST, ALONG SAID SOUTHERLY LINE, FOR A DISTANCE OF 101.32 FEET TO A POINT ON A LINE 112.00 FEET SOUTH OF AND PARALLEL WITH THE SOUTH RIGHT-OF-WAY LINE OF SAID 20 TH STREET; THENCE RUN SOUTH 70°04'39" EAST, PARALLEL WITH SAID SOUTH RIGHT-OF-WAY LINE, FOR A DISTANCE OF 56.16 FEET; THENCE RUN N 19°55'21" EAST, AT RIGHT ANGLES TO THE LAST DESCRIBED COURSE, FOR A DISTANCE OF 2.00 FEET; THENCE RUN SOUTH 70°04'39" EAST, ALONG A LINE 110.00 FEET SOUTH OF AND PARALLEL WITH SAID SOUTH RIGHT-OF-WAY LINE AND AT RIGHT ANGLES TO THE PREVIOUS AND NEXT COURSES, FOR A DISTANCE OF 7.00 FEET; THENCE RUN NORTH 19°55'21" EAST FOR A DISTANCE OF 110.00 FEET TO THE POINT OF BEGINNING. SAID LANDS CONTAINING 2.88 ACRES, MORE OR LESS, TOGETHER WITH ANY/OR ALL RIPARIAN RIGHTS THAT MAY BE APPURTENANT TO SAID LANDS THAT MAY BE VESTED IN THE OWNER OF THE FEE TITLE TOGETHER WITH EASEMENT IN COMMON WITH PERSONS FOR THE LIKE RIGHT TO USE AS SET FORTH IN DEED RECORDED IN DEED BOOK 2482, PAGE 526 OF THE PUBLIC RECORDS OF DADE COUNTY, FLORIDA, IN AND OVER THE FOLLOWING DESCRIBED PROPERTY:

BEGIN AT A POINT LOCATED ON THE NORTHERLY LINE OF LOT 2, BLOCK B OF THE AMENDED MAP OF OCEAN FRONT PROPERTY OF THE MIAMI BEACH IMPROVEMENT COMPANY, ACCORDING TO THE PLAT THEREOF, RECORDED IN PLAT BOOK 5, AT PAGES 7 AND 8 OF THE PUBLIC RECORDS OF DADE COUNTY, FLORIDA; SAID POINT BEING 190.50 FEET DISTANT FROM THE NORTHWEST CORNER OF LOT 3, BLOCK B OF SAID PLAT; THENCE SOUTHERLY AT RIGHT ANGLES TO THE NORTHERLY LINE OF SAID LOT 2, BLOCK B A DISTANCE OF 110.00 FEET TO A POINT; THENCE WESTERLY PARALLEL TO THE NORTHERLY LINE OF SAID LOT 2, BLOCK B A DISTANCE OF 7.00 FEET TO A POINT; THENCE SOUTHERLY AT RIGHT ANGLES TO THE LAST MENTIONED COURSE, A DISTANCE OF 2.00 FEET TO A POINT THENCE WESTERLY PARALLEL TO THE NORTHERLY LINE OF SAID LOT 2, BLOCK B A DISTANCE OF 10.00 FEET TO A POINT; THENCE NORTHERLY AT RIGHT ANGLE TO THE LAST MENTIONED COURSE A DISTANCE OF 112.00 FEET TO A POINT LOCATED ON THE NORTHERLY LINE OF SAID LOT 2, BLOCK B; THENCE EASTERLY ALONG THE NORTHERLY LINE OF SAID LOT 2, BLOCK B, A DISTANCE OF 17.00 FEET TO THE POINT OF BEGINNING.

SITE LOCATION



MIAMI BEACH, FL

Shore Club

1901 Collins Ave.
Miami Beach, FL
33139

Owner:
Name: Shore Club Property Owner LLC
Address: 4400 Biscayne Blvd, Suite 900
Address: Miami, FL 33137
Name: Adam Gottlieb
Email: gottlieba@wikoff.com

Design Architect:
Name: Robert A.M Stern Architects LLP
Address: One Park Avenue
Address: New York, NY 10016
Tel: 212.967.5100
Email: d.silberman@rams.com

Architect:
Name: Kobi Karp
Address: 571 NW 28th Street
Address: Miami, Florida 33127
Tel: 305.573.1818
Email: kobikarp@kobikarp.com

Civil:
Name: Kimley-Horn
Address: 2 Alhambra Plaza
Address: Suite 500, Coral Gables, FL 33134
Tel: 305-673-2025
Email:

Historic Preservation:
Name: Heritage Architectural Associates
Address: 4300 Biscayne Blvd, Suite 203
Address: Miami, FL 33137
Tel: +1 305 761 3642
Email: savdakov@heritagearchitectural.com



PROJECT DATA

Date:	7/25/2024	Sheet No.
Scale:		A-0.3
Project:	2104	

PB FINAL SUBMITTAL 24-0679